

5 References

Bame, S. J., D. J. McComas, M. F. Thomsen, B. L. Barraclough, R. C. Elphic, J. P. Glore, J. T. Gosling, J. C. Chavez, E. P. Evans, and F. J. Wymer (1993) Magnetospheric Plasma Analyzer for spacecraft with constrained resources, *Rev. Sci. Instr.*, 64:1026.

Belian, R. D., G. R. Gisler, T. Cayton, and R. Christensen (1989), High-Z energetic particles at geosynchronous orbit during the great solar proton event series of October 1992, *J. Geophys. Res.*, 97:16897-16906.

Bhavnani, K. H., and R. P. Vancour (1991), Coordinate Systems for Space and Geophysical Applications, Phillips Laboratory Technical Report, PL-TR-91-2296.

Blake, J. B., et al. (1995), CEPPAD: Comprehensive Energetic Particle and Pitch Angle Distribution Experiment on POLAR, *Space Sci. Rev.*, 71:531-562, doi:10.1007/BF00751340.

Bourdarie, S., et al. (accessed 2012), PRBEM Data Analysis Procedure V1.2, on line at *COSPAR Panel on Radiation Belt Environment Modeling (PRBEM)* [http://craterre.onecert.fr/prbem/Data_analysis.pdf].

Brautigam, D. H. (2001), Combined Release and Radiation Effects Satellite (CRRES) High Energy Electron Fluxmeter (HEEF) and Proton Telescope (PROTEL), AFRL, Hanscom AFB, MA, previously on line at NSSDC [ftp://nssdcftp.gsfc.nasa.gov/spacecraft_data/crres/particle_heef/document/crres_readme3.pdf].

Brautigam, D. H., B. Dichter, S. Woolf, E. Holeman, A. Ling, and D. Wrazen (2006), Compact Environmental Anomaly Sensor (CEASE): Response Functions, AFRL-VS-HA-TR-2006-1030, AFRL (Hanscom AFB, MA).

Brautigam, D. H. (2008), Compact Environmental Anomaly Sensor (CEASE): Geometric factors, Report AFRL-VS-HA-TR-2008-1129, AFRL (Hanscom AFB, MA).

Cabrera, J., and J. Lemaire (2007), Using invariant altitude (h_{inv}) for mapping of the radiation belt fluxes in the low-altitude environment, *Space Weather*, 5:S04007, doi: 10.1029/2006SW000263.

Cain, J. C., S. J. Hendricks, R. A. Langel, and W. V. Hudson (1967), A proposed model for the international geomagnetic reference field, 1965, *J. Geomag. Geoelectr.*, 19:335.

Cayton, T. E. (2007), Objective Comparison of CRRES MEA Electron Spectra Using Response Functions for the SOPA Aboard S/C 1989-046, LA-UR-07-8023, Los Alamos National Laboratory (Los Alamos, NM).

Cayton, T. E., R. D. Belian, S. P. Gary, and T. A. Fritz (1989), Energetic electron components at geosynchronous orbit, *Geophys. Res. Lett.*, 16(2):147-150, doi:10.1029/GL016i002p00147.

Cayton, T. E., and M. Tuszewski (2005), Improved electron fluxes from the synchronous orbit particle analyzer, *Space Weather*, 3:S11B05, doi:10.1029/2005SW000150.

Cook, W. R., et al. (1993), PET: A proton/electron telescope for studies of magnetospheric, solar, and galactic particles, *IEEE Trans. Geoscience Remote Sensing*, 31:565-571.

De Benedetti, J., A. Milillo, S. Orsini, A. Mura, E. De Angelis, and I. A. Daglis (2005), Empirical model of the inner magnetosphere H⁺ pitch angle distributions, in *The Inner Magnetosphere: Physics and Modeling*, Geophys. Monogr. Ser., vol. 155, ed. by T. I. Pulkkinen, N. A. Tsyganenko, and R. H. Friedel, pp. 283–291, AGU, Washington, D.C., doi:10.1029/155GM30.

Decker, R. B., and D. G. Mitchell (2013), IMP-8 Charged Particle Measurement Experiment (CPME) & Energetic Particle Experiment (EPE), on line at *IMP* [http://sd-www.jhuapl.edu/IMP/imp_index.html].

Denton, M. H., J. E. Borovsky, and T. E. Cayton (2010), A density-temperature description of the outer electron radiation belt during geomagnetic storms, *J. Geophys. Res.*, 115:A01208, doi:10.1029/2009JA014183.

Dichter, B. K., and F. A. Hanser (1992), Development and Use of Data Analysis Procedures for the CRRES Payloads AFGL-701-2/Dosimeter and AGR-701-4/Fluxmeter and Application of the Data Analysis Results to Improve the Static and Dynamic Models of the Earth's Radiation Belts, PL-TR-92-2223, Phillips Laboratory, AFMC, Hanscom AFB, MA.

Dichter, B. K., F. A. Hanser, B. Sellers, and J. L. Hunerwadel (1993), High Energy Electron Fluxmeter, *IEEE Trans. Nucl. Sci.*, 40(2):242-245.

Dichter, B.K., et al. (1998), Compact Environmental Anomaly Sensor (CEASE): A novel spacecraft instrument for in situ measurements of environmental conditions, *IEEE Trans. Nucl. Sci.*, 45(6):2758-2764, doi:10.1109/23.736525.

Evans, D. S., and M. S. Greer (2006), Polar Orbiting Environmental Satellite Space Environment Monitor-2 Instrument Descriptions and Archive Data Documentation, on line at *NOAA NGDC* [http://satdat.ngdc.noaa.gov/sem/poes/docs/sem2_docs/2006/SEM2v2.0.pdf].

Feldman, W., W. Aiello, D. Drake, and M. Herrin (1985), The BDD II: An improved electron dosimeter for the Global Positioning System, LA-10453-MS, Los Alamos National Laboratory (Los Alamos, NM).

Fennell, J. F. (1982), Description of P78-2 (SCATHA) satellite and experiments, in *The IMS Source Book*, ed. by Russell and Southwood, 65-81, American Geophysical Union, Washington, D.C.

Fennell, J. F., G. M. Boyd, M. T. Redding, and M. C. McNab (1997), Data recovery from SCATHA satellite, Aerospace Report No. ATR-97(7400)-1.

Finlay, C. C. et al. (2010), International Geomagnetic Reference Field: the eleventh generation, International Association of Geomagnetism and Aeronomy, Working Group V-MOD. *Geophys. J. Int.*, 183(3):1216-1230, doi: 10.1111/j.1365-246X.2010.04804.x.

Friedel, R. H. W., S. Boudarie, and T. E. Cayton (2005), Intercalibration of magnetospheric energetic electron data, *Space Weather*, 3:S09B04, doi:10.1029/2005SW000153.

Fritz, T. A., J. F. Fennell, S. Livi, J. L. Roeder, A. Daglis, H. Sommer, B. Wilken, B. Kellert, M. Henderson, M. Grande, J. B. Blake, R. Koga, J. Chen (2003), The POLAR CAMMICE Investigation, Draft, on line at *BUSpace* [http://www.bu.edu/buspace/papers/Fritz_2003_CAMMICE_Description.html].

Ginet, G. P., B. K. Dichter, D. H. Brautigam and D. Madden (2007), Proton flux anisotropy in low Earth orbit, *IEEE Trans. Nucl. Sci.*, 54(6):1975-1980.

Ginet, G. P., S. L. Huston, C. J. Roth, T. P. O'Brien, and T. B. Guild (2010), The trapped proton environment in medium Earth orbit (MEO), *IEEE Trans. Nucl. Sci.*, 57(6):3135-3142, doi:10.1109/TNS.2010.2085086, and Ginet, G. P., et al. (2012), Correction to "...", *IEEE Trans. Nucl. Sci.*, 59(3):685, doi:10.1109/TNS.2012.2200611.

Ginet, G. P., et al. (2013), AE9/AP9/SPM: New models for specifying the trapped energetic particle and space plasma environment, *Sp. Sci. Rev.*, 179:579-615, doi:10.1007/s11214-013-9964-y.

Guild, T. B., J. L. Roeder, J. F. Fennell, and J. H. Clemmons (2013), The plasma environment in the high altitude, high latitude magnetosphere, in preparation.

Guild, T. B., T. P. O'Brien, J. E. Mazur, and M. D. Looper (2009), On-orbit inter-calibration of proton observations during solar particle events, Aerospace Report No. TOR-2007(3905)-22, Aerospace Corp.

Gussenhoven, M. S., E. G. Mullen, and D. H. Brautigam (1996), Improved understanding of the Earth's radiation belts from the CRRES satellite, *IEEE Trans. Nucl. Sci.*, 43(2):353-368, doi:10.1109/23.490755.

Hanser, F. A. (1995), Analyze Data from CRRES Payloads AFGL-701/Dosimeter and AFGL-701-4/Fluxmeter, PL-TR-95-2103, Phillips Laboratory, AFMC, Hanscom AFB, MA.

Heynderickx, D., J. Lemaire, E. J. Daly, and H. D. R. Evans (1996), Calculating low-altitude trapped particle fluxes with the NASA models AP-8 and AE-8, *Radiat. Meas.*, 26:947-952.

Hilton, H. H. (1971), L parameter: A new approximation, *J. Geophys. Res.*, 76:6952-6954.

Huston, S. L. (2002), Space Environment and Effects: Trapped Proton Model, NASA/CR-2002-211784, NASA Marshall Spaceflight Center, Huntsville, AL.

Huston, S. L., G. A. Kuck, and K. A. Pfitzer (1996), Low altitude trapped radiation model using TIROS/NOAA data, in *Radiation Belts: Models and Standards*, Geophys. Monogr. Ser., 97, ed. by J. F. Lemaire, D. Heynderickx, and D. N. Baker, pp. 119-124, AGU, Washington, D.C.

International Association of Geomagnetism and Aeronomy, Working Group V-MOD (2010), International Geomagnetic Reference Field: The eleventh generation, *Geophys. J. Int'l.*, 183(3):1216-1230.

IGRF (28 Jan. 2010), The International Geomagnetic Reference Field, on line at *IAGA Division V-MOD* [<http://www.ngdc.noaa.gov/IAGA/vmod/igrf.html>].

IRBEM (2012), The International Radiation Belt Environmental Modeling Library, on line at *IRBEM-LIB* [<http://irbem.svn.sourceforge.net/viewvc/irbem/web/index.html>].

Jacchia, L. G. (1977), Thermospheric Temperature, Density, and Composition: New Models, Smithsonian Astrophysical Observatory Special Report No. 375, Smithsonian Institution Astrophysical Observatory, Cambridge, MA.

Jensen, D. C., and J. C. Cain (1962), An interim geomagnetic field, *J. Geophys. Res.*, 67:3568.

Johnston, W. R. (2014a), GEO-CRRES Cross-Calibration Results for AE9 Development, AFRL Report, pending.

Johnston, W. R. (2014b), GEO-GEO Cross-Calibration Results for AE9 Development, AFRL-RV-PS-TR-2014-0017, Air Force Research Laboratory, Kirtland AFB, NM.

Johnston, W. R., C. D. Lindstrom, and G. P. Ginet (2013), Characterization of radiation belt electron energy spectra from CRRES observations, in preparation.

Johnston, W. R., C. D. Lindstrom, and G. P. Ginet (2014a), CRRES Medium Electron Sensor A (MEA) and High Energy Electron Fluxmeter (HEEF): Cross-calibrated data set, AFRL-RV-PS-TR-2014-0016, Air Force Research Laboratory, Kirtland AFB, NM, on line at *DTIC* [<http://www.dtic.mil/docs/citations/ADA604519>].

Johnston, W. R., T. P. O'Brien, S. L. Huston, et al. (2014b), AE9/AP9/SPM: Validation report, AFRL report, pending.

- Johnston, W. R., T. P. O'Brien, G. P. Ginet, S. L. Huston, T. B. Guild, and J. A. Fennelly (2014c), AE9/AP9/SPM: New models for radiation belt and space plasma specification, *SPIE 9085, Sensors and Systems for Space Applications VII*, 908508, doi:10.1117/12.2049836.
- Jordan, C. E. (1994), Empirical models of the magnetospheric magnetic field, *Rev. Geophys.*, 32:139-157.
- Kaufmann, R.L. (1965), Conservation of the first and second adiabatic invariants, *J. Geophys. Res.*, 70:2181-2186.
- Koga, R., S. Pinkerton, J. Fennell (1996), CAMMICS MICS/MDPU Experiment Handbook, on line at *BU/CSP EPG* [http://spacedata.bu.edu/docs/mics_handbook.pdf].
- Koller, J. and S. Zaharia (2011), LANL* V2.0: global modeling and validation, *Geosci. Model Dev.*, 4:669-675, doi:10.5194/gmd-4-669-2011.
- Koller, J., G. D. Reeves and R. H. W. Friedel (2009), LANL* V1.0: a radiation belt drift shell model suitable for real-time and reanalysis applications, *Geosci. Model Dev.*, 2:113-122, doi:10.5194/gmd-2-113-2009.
- Langel, R. A. (1991), International Geomagnetic Reference Field, 1991 Revision, *J. Geomag. Geoelectr.*, 43:1007-1012.
- Lemaire, J., D. Heynderickx, A. D. Johnstone, E. Keppler, M. Kruglanski, D. J. Rodgers, G. Jones, S. Szita, R. Friedel, and G. Loidl (1998), Trend-3 Radiation Environments of Astronomy Missions and LEO Missions Final Report, ESA.
- Lenchek, A. M., and S. F. Singer (1962), Effects of the finite gyroradii of geomagnetically trapped protons, *J. Geophys Res.*, 67:4073-4075.
- McCollough, J. P., J. L. Gannon, D. N. Baker, and M. Gehmeyr (2008), A statistical comparison of commonly used external magnetic field models, *Space Weather*, 6:S10001, doi:10.1029/2008SW000391.
- McIlwain, C. E. (1961), Coordinates for mapping the distribution of magnetically trapped particles, *J. Geophys. Res.*, 66(11):3681-3691.
- McIlwain, C. E. (1966), Magnetic coordinates, *Space Science Reviews*, 5:585-598.
- Mewaldt, R. A., et al. (2005), Proton, helium, and electron spectra during the large solar particle events of October-November 2003, *J. Geophys. Res.*, 110:A09S18, doi:10.1029/2005JA011038.
- Milillo, A., S. Orsini, and I. A. Daglis, (2001), Empirical model of proton fluxes in the equatorial inner magnetosphere: Development, *J. Geophys. Res.*, 106(A11):25713-25729, doi:10.1029/2000JA900158.

Niehof, J. (2011), Diamagnetic Cavities and Energetic Particles in the Earth's Magnetospheric Cusps, PhD Dissertation, Boston University.

NOAA (2012), GOES Space Environment Monitor, on line at *NGDC* [<http://www.ngdc.noaa.gov/stp/satellite/goes/>].

O'Brien, T. P. (2005), A framework for next-generation radiation belt models, *Space Weather*, 3:S07B02, doi:10.1029/2005SW000151.

O'Brien, T.P. (2007), Preliminary algorithms for computation of mission aggregate and worst-case fluxes from the empirical AE-9/AP-9 Model, TOR-2007(3905)-18, The Aerospace Corporation, El Segundo, CA.

O'Brien, T. P. (13 Jan. 2011), Documentation of C Inversion Library, on line at *IRBEM-LIB* [<http://irbem.svn.sourceforge.net/viewvc/irbem/web/index.html>].

O'Brien, T. P. (2012a), Adding Multiple Time Lags to AE9/AP9 V1.0, Aerospace Report No. TOR-2012(1237)-3, Aerospace Corporation, El Segundo, CA.

O'Brien, T. P. (2012b), Data Cleaning Guidelines for AE-9/AP-9 Data Sets, TOR-2012(1237)-4, Aerospace Corporation, El Segundo, CA.

O'Brien, T. P. (2013), AE9V1.0 Templates Derived from AE8, TOR-2014-00292, Aerospace Corporation, El Segundo, CA.

O'Brien, T. P. and T. B. Guild (2010), Trapped Electron Model 2 (TEM-2), Aerospace Report No. TR-2010(3905)-2, Aerospace Corporation, El Segundo, CA.

O'Brien, T. P., and M. B. Moldwin (2003), Empirical plasmopause models from magnetic indices, *Geophys. Res. Lett.*, 30(4):1152-1155, doi:10.1029/2002GL016007.

Olson, W. P. and K. A. Pfitzer (1974), A Quantitative Model of the Magnetospheric Magnetic Field, *J. Geophys. Res.*, 79:3739-3746.

Olson, W. P. and K. A. Pfitzer (1977), Magnetospheric Magnetic Field Modeling, Annual Scientific Report, Air Force Office of Scientific Research, Contract #F44620-75-C-0033, McDonnell Douglas Astronautics Co., Huntington Beach, CA.

Pfitzer, K.A. (1991), Improved models of the inner and outer radiation belts, Scientific Report No. 1, Phillips Laboratory technical report PL-TR-91-2187, Hanscom AFB, MA.

Pfitzer, K.A. (1995), Improved models of the inner and outer radiation belts, Final Report, Phillips Laboratory technical report PL-TR-96-2050, Hanscom AFB, MA.

- Reagan, J. B., R. W. Nightingale, E. E. Gaines, W. L. Imhof, and E. G. Stassinopoulos (1981), Outer zone energetic electron spectral measurements, *Proceedings of the AIAA 18th Aerospace Sciences Meeting*, AIAA-80 0390, Pasadena, CA.
- Roberts, C. S. (1964), Coordinates for the study of particles trapped in the Earth's magnetic field: A method of converting from B, L to R, λ coordinates, *J. Geophys. Res.*, 69:5089-5090.
- Roeder, J. L., M. W. Chen, J. F. Fennell, and R. Friedel (2005), Empirical models of the low-energy plasma in the inner magnetosphere, *Space Weather*, 3:S12B06, doi:10.1029/2005SW000161.
- Roederer, J. G. (1970), *Dynamics of Geomagnetically Trapped Radiation*, Springer-Verlag, New York.
- Roederer, J. G. (1996), Introduction to trapped particle flux mapping, in *Radiation Belts: Models and Standards*, Geophys. Monogr. Ser., vol. 97, ed. by J. F. Lemaire, D. Heynderickx, and D. N. Baker, pp. 149-151, AGU, Washington, D.C.
- Roth, C. J., (2014), AE9/AP9/SPM Radiation Environment Model: User's Guide, AFRL-RV-PS-TR-2014-0013, Air Force Research Laboratory, Kirtland AFB, NM, on line at *DTIC* [<http://www.dtic.mil/docs/citations/ADA603883>].
- Sauvaud, J. A., et al. (2006), High-energy electron detection onboard DEMETER: The IDP spectrometer, description and first results on the inner belt, *Plan. Space Sci.*, 54:502-511, doi:10.1016/j.pss.2005.10.019.
- Sawyer, D. M. and J. I. Vette (1976), AP-8 Trapped Proton Model Environment for Solar Maximum and Solar Minimum, NSSDC/WDC-A-R&S 76-06, Natl. Space Science Data Center, Greenbelt, MD.
- Schulz, M. (1996), Canonical coordinates for radiation belt modeling, in *Radiation Belts: Models and Standards*, Geophys. Monogr. Ser., vol. 97, ed. by J. F. Lemaire, D. Heynderickx, and D. N. Baker, pp. 153-160, AGU, Washington, D.C.
- Schulz, M., and L. J. Lanzerotti (1974), *Particle Diffusion in the Radiation Belts*, Springer-Verlag, New York.
- Selesnick, R. S., and J. B. Blake (2000), On the source location of radiation belt relativistic electrons, *J. Geophys. Res.*, 105:2607-2624, doi:10.1029/1999JA900445.
- Selesnick, R. S., and J. B. Blake (2002), Relativistic electron drift shell splitting, *J. Geophys. Res.*, 107:1265, doi:10.1029/2001JA009179.
- Selesnick, R. S., M. D. Looper, and R. A. Mewaldt (2007), A theoretical model of the inner proton radiation belt, *Space Weather*, 5:S04003, doi:10.1029/2006SW000275.

Seltzer, S. M. (1994), Updated calculations for routine space-shielding radiation dose estimates: SHIELDOSE2, National Institute of Standards and Technology report NISTIR 5477.

Space Systems Loral (1996), GOES I-M DataBook, DRL 101-08 revision 1, on line at *GSFC* [<http://rsd.gsfc.gov/goes/text/databook/databook/pdf>].

Su Caton, Y.-J., and C. J. Roth (2014), SCATHA/SC3 Data Processing and Cross-Calibration with LANL-GEO/CPA for AE9 Development, AFRL-RV-PS-TR-2014-0015, Air Force Research Laboratory, Kirtland AFB, NM, on line at *DTIC* [<http://www.dtic.mil/docs/citations/ADA604523>].

Thomsen, M. F., M. H. Denton, B. Lavraud, and M. Bodeau (2007), Statistics of plasma fluxes at geosynchronous orbit over more than a full solar cycle, *Space Weather*, 5:S03004, doi:10.1029/2006SW000257.

Tsyganenko, N. A. (1989), A magnetospheric magnetic field model with a warped tail current sheet, *Planet. Space Sci.*, 37:5-20.

Vampola, A. L. (1996a), Low energy inner zone protons-revisited, *Workshop on the Earth's trapped particle environment*. AIP Conference Proceedings, Vol. 383, pp. 81-86

Vampola, A. L. (1996b), The ESA Outer Zone Electron Model Update, Environment Modeling for Space-based Applications, Symposium Proceedings (ESA SP-392), ed. by W. Burke and T.-D. Guyenne, p. 151, ESTEC Noordwijk.

Vampola, A. L. (2000), "0.5-second electron spectra at 0.1-2 MeV from the CRRES MEA Magnetic Spectrometer," NSSDC Data Set SPMS-00233, on line at *NSSDC* [<http://nssdc.gsfc.nasa.gov/nmc/datasetDisplay.do?id=SPMS-00233>].

Vampola, A. L., J. V. Osborne, and B. M. Johnson (1992), The CRRES magnetic electron spectrometer AFGL 701-5A (MEA), *J. Spacecr. Rockets*, 29:592-594.

Vette, J. I. (1991a), The NASA/National Space Science Data Center Trapped Radiation Environment Model Program, NSSDC/WDC-A-R&S 91-29, NASA Goddard Space Flight Center, Greenbelt, MD.

Vette, J. I. (1991b), The AE-8 Trapped Electron Model Environment, NSSDC/WDC-A-R&S 91-24, NASA Goddard Space Flight Center, Greenbelt, MD.

Wang, C.-P., M. Gkioulidou, L. R. Lyons, R. A. Wolf, V. Angelopoulos, T. Nagai, J. M. Weygand, and A. T. Y. Lui (2011), Spatial distributions of ions and electrons from the plasma sheet to the inner magnetosphere: Comparisons between THEMIS-Geotail statistical results and the Rice convection model, *J. Geophys. Res.*, 116:A11216, doi:10.1029/2011JA016809.

Wilken, B., W. Weiss, D. Hall, M. Grande, F. Soraas, J. Fennell (1992), Magnetospheric ion composition spectrometer onboard the CRRES spacecraft, *J. Spacecr. Rockets*, 29(4):585-591.

Yando, K., et al. (2011), A Monte Carlo simulation of the NOAA POES Medium Energy Proton and Electron Detector instrument, *J. Geophys. Res.*, 116:A10231, doi:10.1029/2011JA016671.